

WARREN RUPP, INC. • A Unit of IDEX Corporation • P.O. Box 1568, Mansfield, Ohio 44901-1568 USA • Telephone (419) 524-8388 • Fax (419) 522-7867

# Explanation of Pump Nomenclature

### T20 Metallic · Design Level 1· Ball Valve

MODEL	Pump Brand	Pump Size	Check Valve Type	Design Level	Wetted Material	Diaphragm/ Check Valve Materials	Check Valve Seat	Non-Wetted Material Options	Porting Options	Pump Style	Pump Options	Shipping Kit Options	Weight Ibs. (kg)
T20B1SFSWTS600.	т	20	в	1	S	F	S	w	т	S	6	00.	114 (52)
T20B1SDSWTS600.	Т	20	В	1	S	D	S	W	Т	S	6	00.	114 (52)
T20B1SASWTS600.	Т	20	В	1	S	А	S	W	Т	S	6	00.	114 (52)
T20B1SFSSTS600.	Т	20	В	1	S	F	S	S	Т	S	6	00.	
T20B1SDSSTS600.	Т	20	В	1	S	D	S	S	Т	S	6	00.	
T20B1SASSTS600.	Т	20	В	1	S	А	S	S	Т	S	6	00.	

#### Pump Brand

T= FDA Compliant

Pump Size 20=2"

**Check Valve Type** B= Ball

**Design Level** 1= Design Level

Wetted Material S= Stainless Steel

#### **Diaphragm Check Valve Materials**

A= PTFE - FDA Nitrile/PTFE D= FDA Santoprene/FDA Santoprene F= FDA Nitrile/FDA Nitrile

**Check Valve Seat** 

S= Stainless Steel T= PTFE

#### **Non-Wetted Material Options**

S= Stainless Steel w/Stainless Steel Hardware W=White Epoxy Coated Aluminum w/Stainless Steel Hardware

#### Porting Options

T= 21/2" Sanitary Clamp Fitting

Pump Style S= Standard



Kit Options 00.=None




### **CAUTION!** The maximum pump operating temperature limit is 190°F (88°C):

	Temperature Limits			
Materials	Maximum	Minimum		
<b>FDA Accepted White Nitrile</b> General purpose, oil-resistant. Shows good solvent, oil, water and hydraulic fluid resistance. Should not be used with highly polar solvents like acetone and MEK, ozone, chlorinated hydrocarbons and nitro hydrocarbons.	190°F 88°C	-10°F -23°C		
<b>FDA Accepted Santoprene</b> <sup>®</sup> Injection molded thermoplastic elastomer with no fabric layer. Long mechanical flex life. Excellent abrasion resistance.	275°F 135°C	-40°F -40°C		
<b>Virgin PTFE</b> Chemically inert, virtually impervious. Very few chemicals are known to react chemically with PTFE: molten alkali metals, turbulent liquid or gaseous fluorine and a few fluoro-chemicals such as chlorine trifluoride or oxygen difluoride which readily liberate free fluorine at elevated temperatures.	220°F 104°C	-35°F -37°C		

For specific applications, always consult The Warren Rupp Chemical Resistance Chart

®Santoprene is a registered tradename of Monsanto Corporation.

## **Dimensions: T20 Metallic**



Dimensions in Millimeters Dimensional Tolerance:± 3mm

